

WholeLogic Stage III Accessibility Conformance Report

Revised Section 508 Edition

(Based on VPAT® Version 2.5Rev)

Name of Product/Version: Stage III Immersive Simulation

Report Date: 4/1/2026

Product Description: Stage III is a Simulation that replicates a vital signs monitor and anesthesia machine and is designed for use as the focus of an immersive simulation environment for veterinary anesthesia and critical care training.

Contact Information: Phone: (208) 820-4231 Email: admin@wholelogic.com

Notes:

Evaluation Methods Used: Stage III was evaluated on Windows 10 and Windows 11 desktop computers. Assistive technologies used in this evaluation included the Windows screen magnification function as well as exclusive use of the keyboard to navigate and operate the software content and functionality.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standards/guidelines

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.1.1 Non-text Content</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Stage III provides sufficient text alternatives for most instances of non-text content.
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Stage III does not contain prerecorded audio or video only media.
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Stage III audio feedback prompts have companion text descriptions for the instructor.
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Stage III does not contain prerecorded video content that would require audio description or a media alternative.
<u>1.3.1 Info and Relationships</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool)	Partially Supports	Most visual structure and relationship information in Stage III is provided through object information or is available in text.

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
<u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Both Stage III and documentation present elements in a correct and logical reading sequence.
<u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Both Stage III and documentation provide multiple sensory characteristics for operations.
<u>1.4.1 Use of Color</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Neither Stage III nor documentation relies solely on color to convey information or distinguish elements.
<u>1.4.2 Audio Control</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Neither Stage III nor documentation contains audio that plays automatically
<u>2.1.1 Keyboard</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Both Stage III and documentation are operable with a keyboard.
<u>2.1.2 No Keyboard Trap</u> (Level A) Also applies to:	Supports	Neither Stage III nor documentation presents instances where keyboard users are unable to

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		navigate away from areas by way of a keyboard.
<u>2.2.1 Timing Adjustable</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Neither Stage III nor documentation contains content with a time out that can reasonably be expected to be adjusted.
<u>2.2.2 Pause, Stop, Hide</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Both Stage III and documentation provide mechanisms to pause, stop, or hide moving, blinking, scrolling, or auto updating content that lasts more than five (5) seconds.
<u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Neither Stage III nor documentation includes content which flashes more than three (3) times per second.
<u>2.4.1 Bypass Blocks</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Not Applicable	Not Applicable
<u>2.4.2 Page Titled</u> (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Both Stage III and documentation provide titles for pages that describe topics or purpose.

Criteria	Conformance Level	Remarks and Explanations
<u>2.4.3 Focus Order</u> (Level A) Also applies to: Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	Both Stage III and the documentation present elements in a meaningful focus order.
<u>2.4.4 Link Purpose (In Context)</u> (Level A) Also applies to: Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	Both Stage III and the documentation contain links which clearly state their purpose.
<u>3.1.1 Language of Page</u> (Level A) Also applies to: Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	Links within Stage III and the documentation track to web pages containing language attributes
<u>3.2.1 On Focus</u> (Level A) Also applies to: Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	Stage III does not contain elements that initiate changes of context when focused.
<u>3.2.2 On Input</u> (Level A) Also applies to: Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)	Supports	Stage III contains controls that behave predictably
<u>3.3.1 Error Identification</u> (Level A) Also applies to: Revised Section 508 ● 501 (Web)(Software)	Not Applicable	Stage III inputs are constrained by the input controls

Criteria	Conformance Level	Remarks and Explanations
504.2 (Authoring Tool) 602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Stage III provides appropriate instructions or labels when user input is required
4.1.1 Parsing (Level A) Also applies to: WCAG 2.0 – Always answer ‘Supports’ Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Stage III: Not Applicable Documentation: Supports	
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Stage III provides proper names, roles, and values for elements.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Neither Stage III nor documentation includes live, synchronized media.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.5 Audio Description (Prerecorded)</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Neither Stage III nor Documentation contains prerecorded video content.
<u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Both Stage III and documentation have sufficient contrast between text and its background.
<u>1.4.4 Resize text</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Both Stage III and documentation allow users to zoom in up to 200% without loss of content or functionality.
<u>1.4.5 Images of Text</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Neither Stage III nor documentation contains images of text.
<u>2.4.5 Multiple Ways</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Supports	Both Stage III and documentation provide users with multiple ways to navigate sections and content
<u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software)	Supports	Both Stage III and documentation provide users with headings or labels that describe topic, purpose, or content.

Criteria	Conformance Level	Remarks and Explanations
504.2 (Authoring Tool) 602.3 (Support Docs)		
<u>2.4.7 Focus Visible</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Both Stage III and documentation provide a visible focus indicator for elements.
<u>3.1.2 Language of Parts</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Supports	Both Stage III and documentation display passages or phrases in the page's native language.
<u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Supports	Both Stage III and documentation provide clear and consistent navigation across sections and content.
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Supports	Stage III and documentation consistently identifies components with the same functionality
<u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Not Applicable	Stage III inputs are constrained by the input controls making error suggestion unnecessary
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to:	Supports	Stage III inputs are constrained by the input controls

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		

Table 3: Success Criteria, Level AAA

Notes: Not Applicable, Stage III was not evaluated for WCAG 2.1 Level AAA conformance

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Does Not Support	
302.2 With Limited Vision	Partially Supports	Stage III allows the users to control the font size and color of displayed vital signs
302.3 Without Perception of Color	Supports	
302.4 Without Hearing	Supports	
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Supports	
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	

Chapter 4: [Hardware](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
402 Closed Functionality	Heading cell – no response required	Heading cell – no response required
402.1 General	Heading cell – no response required	Heading cell – no response required
402.2 Speech-Output Enabled	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen	Not Applicable	
402.2.2 Transactional Outputs	Not Applicable	
402.2.3 Speech Delivery Type and Coordination	Not Applicable	
402.2.4 User Control	Not Applicable	
402.2.5 Braille Instructions	Not Applicable	
402.3 Volume	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
402.3.1 Private Listening	Not Applicable	
402.3.2 Non-private Listening	Not Applicable	
402.4 Characters on Display Screens	Not Applicable	
402.5 Characters on Variable Message Signs	Not Applicable	
<u>403 Biometrics</u>	Heading cell – no response required	Heading cell – no response required
403.1 General	Not Applicable	
<u>404 Preservation of Information Provided for Accessibility</u>	Heading cell – no response required	Heading cell – no response required
404.1 General	Not Applicable	
<u>405 Privacy</u>	Heading cell – no response required	Heading cell – no response required
405.1 General	Not Applicable	
<u>406 Standard Connections</u>	Heading cell – no response required	Heading cell – no response required
406.1 General	Not Applicable	
<u>407 Operable Parts</u>	Heading cell – no response required	Heading cell – no response required
407.2 Contrast	Not Applicable	
<u>407.3 Input Controls</u>	Heading cell – no response required	Heading cell – no response required
407.3.1 Tactilely Discernible	Not Applicable	
407.3.2 Alphabetic Keys	Not Applicable	
407.3.3 Numeric Keys	Not Applicable	
407.4 Key Repeat	Not Applicable	
407.5 Timed Response	Not Applicable	
407.6 Operation	Not Applicable	
407.7 Tickets, Fare Cards, and Keycards	Not Applicable	
<u>407.8 Reach Height and Depth</u>	Heading cell – no response required	Heading cell – no response required
407.8.1 Vertical Reference Plane	Not Applicable	
407.8.1.1 Vertical Plane for Side Reach	Not Applicable	
407.8.1.2 Vertical Plane for Forward Reach	Not Applicable	
407.8.2 Side Reach	Not Applicable	
407.8.2.1 Unobstructed Side Reach	Not Applicable	
407.8.2.2 Obstructed Side Reach	Not Applicable	
407.8.3 Forward Reach	Not Applicable	
407.8.3.1 Unobstructed Forward Reach	Not Applicable	
407.8.3.2 Obstructed Forward Reach	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Not Applicable	
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach		
<u>408 Display Screens</u>	Heading cell – no response required	Heading cell – no response required
408.2 Visibility	Not Applicable	
408.3 Flashing	Not Applicable	
<u>409 Status Indicators</u>	Heading cell – no response required	Heading cell – no response required
409.1 General	Not Applicable	
<u>410 Color Coding</u>	Heading cell – no response required	Heading cell – no response required
410.1 General	Not Applicable	
<u>411 Audible Signals</u>	Heading cell – no response required	Heading cell – no response required
411.1 General	Not Applicable	
<u>412 ICT with Two-Way Voice Communication</u>	Heading cell – no response required	Heading cell – no response required
<u>412.2 Volume Gain</u>	Heading cell – no response required	Heading cell – no response required
412.2.1 Volume Gain for Wireline Telephones	Not Applicable	
412.2.2 Volume Gain for Non-Wireline ICT	Not Applicable	
<u>412.3 Interference Reduction and Magnetic Coupling</u>	Heading cell – no response required	Heading cell – no response required
412.3.1 Wireless Handsets	Not Applicable	
412.3.2 Wireline Handsets	Not Applicable	
412.4 Digital Encoding of Speech	Not Applicable	
412.5 Real-Time Text Functionality	Reserved for future	Reserved for future
412.6 Caller ID	Not Applicable	
412.7 Video Communication	Not Applicable	
<u>412.8 Legacy TTY Support</u>	Heading cell – no response required	Heading cell – no response required
412.8.1 TTY Connectability	Not Applicable	
412.8.2 Voice and Hearing Carry Over	Not Applicable	
412.8.3 Signal Compatibility	Not Applicable	
412.8.4 Voice Mail and Other Messaging Systems	Not Applicable	
<u>413 Closed Caption Processing Technologies</u>	Heading cell – no response required	Heading cell – no response required
413.1.1 Decoding and Display of Closed Captions	Not Applicable	
413.1.2 Pass-Through of Closed Caption Data	Not Applicable	
<u>414 Audio Description Processing Technologies</u>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
414.1.1 Digital Television Tuners	Not Applicable	
414.1.2 Other ICT	Not Applicable	
<u>415 User Controls for Captions and Audio Descriptions</u>	Heading cell – no response required	Heading cell – no response required
415.1.1 Caption Controls	Not Applicable	
415.1.2 Audio Description Controls	Not Applicable	

Chapter 5: Software

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
<u>502 Interoperability with Assistive Technology</u>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	
502.2.2 No Disruption of Accessibility Features	Not Applicable	
<u>502.3 Accessibility Services</u>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Not Applicable	
502.3.2 Modification of Object Information	Not Applicable	
502.3.3 Row, Column, and Headers	Not Applicable	
502.3.4 Values	Not Applicable	
502.3.5 Modification of Values	Not Applicable	
502.3.6 Label Relationships	Not Applicable	
502.3.7 Hierarchical Relationships	Not Applicable	
502.3.8 Text	Not Applicable	
502.3.9 Modification of Text	Not Applicable	
502.3.10 List of Actions	Not Applicable	
502.3.11 Actions on Objects	Not Applicable	
502.3.12 Focus Cursor	Not Applicable	
502.3.13 Modification of Focus Cursor	Not Applicable	
502.3.14 Event Notification	Not Applicable	
502.4 Platform Accessibility Features	Not Applicable	
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
503.3 Alternative User Interfaces	Not Applicable	
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	
503.4.2 Audio Description Controls	Not Applicable	
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	
504.2.2 PDF Export	Not Applicable	
504.3 Prompts	Not Applicable	
504.4 Templates	Not Applicable	

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	All documentation for Stage III is provided electronically
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	The WholeLogic Support Section can answer questions about accessibility
603.3 Accommodation of Communication Needs	Supports	The WholeLogic Support Section can answer questions about accessibility

Legal Disclaimer (Company)

© 2026 WholeLogic, Inc. As of the date of its publication indicated in the information table at the beginning of this Conformance Report, this Conformance Report represents the current view of WholeLogic regarding information about the subject WholeLogic product as outlined in the ITI's "VPAT® 2.5 Rev 508 + WCAG 2.1". WholeLogic cannot guarantee that any information in this Conformance Report will remain accurate after such date of publication, but WholeLogic works continuously to monitor the accessibility of its products and provide updates from time to time. Any modification or customization to the subject product may render some or all of this Conformance Report to become inapplicable. This Conformance Report is provided "as is" and for informational purposes only.